


## Fadercore



Standard 220mm wide modules

# VLR-8x16LEDmeter

A solution to add 8 Meters with 16 LEDs for each Meter. It contains 2 different Types of PCBs one is the LEDmatrix and the other a slim PCB to mount 16LEDs



Eagle Files: <https://github.com/novski/Midibox/tree/master/VLR-8x16LEDmeter>





Project Order Basket on Mouser:

<http://www.mouser.com/ProjectManager/ProjectDetail.aspx?AccessID=5ecf7b4949>

The PCB is available under: <https://www.vlrlab.com/home/18-ledmatrix.html>

<https://www.vlrlab.com/home/19-meterboard.html>

## How to get Started

The LEDs are mounted to the Edge of the Meterboard to get a very slim form. That makes it a bit harder to solder them but i guess that no one wont be able to do it. To solder the Header to the Edge there is a wite triangle printed to the PCB on one side. This Triange has to match with the Triangle on the Header.

## Prepare the PCB

Well you should now by now how to solder Headers...



## Prepare the Connection

Connect the SEL, Row1-8 & Row9-16 with each a DOUT Header.

## Test it in MIOS

To make it work with MIOS .NGC File we need to know how the shift-registers are connected.

### Inputs:

1# Switch Columns 1-8

### Outputs:

1# ROW Outputs 1-6

2# RED LEDs 1-8

3# GREEN LEDs 1-8

4# BLUE LEDs 1-8

Assuming that the VLR-3x8But is the first device on the chain of J8/9 we need to configure it like this:

```
RESET_HW
```

```
LCD "%C"
```

```
LCD "@(1:1:1)OLED1"
```

```
LCD "@(2:1:1)OLED2"
```

```
LCD "@(3:1:1)OLED3"
```

```
LCD "@(4:1:1)OLED4"
```

```
LCD "@(5:1:1)OLED5"  
LCD "@(6:1:1)OLED6"  
LCD "@(7:1:1)OLED7"  
LCD "@(8:1:1)OLED8"
```

```
# In this demo we configure individual brightness levels for the LEDs from EVENT_BUTTON events
```

```
LCD "@(1:10:1)RGB Demo #2"
```

```
DIN_MATRIX n=1 rows=4 sr_dout_sel1=1 sr_din1=1 button_emu_id_offset=1001  
DOUT_MATRIX n=1 rows=4 sr_dout_r1=2 sr_dout_g1=3 sr_dout_b1=4 led_emu_id_offset=1025
```

```
# These button functions forward their value also to LEDs  
# it's possible to set the rgb levels in the button event, it will be forwarded as well!
```

```
EVENT_BUTTON id=1001 fwd_id=LED:1025 type=NoteOn key=36 chn=1 rgb=15:0:0 lcd_pos=1:1:2  
label="^std_btn"  
EVENT_BUTTON id=1002 fwd_id=LED:1026 type=NoteOn key=37 chn=1 rgb=15:0:0 lcd_pos=2:1:2  
label="^std_btn"  
EVENT_BUTTON id=1003 fwd_id=LED:1027 type=NoteOn key=38 chn=1 rgb=15:0:0 lcd_pos=3:1:2  
label="^std_btn"  
EVENT_BUTTON id=1004 fwd_id=LED:1028 type=NoteOn key=39 chn=1 rgb=15:0:0 lcd_pos=4:1:2  
label="^std_btn"  
EVENT_BUTTON id=1005 fwd_id=LED:1029 type=NoteOn key=40 chn=1 rgb=15:0:0 lcd_pos=5:1:2  
label="^std_btn"  
EVENT_BUTTON id=1006 fwd_id=LED:1030 type=NoteOn key=41 chn=1 rgb=15:0:0 lcd_pos=6:1:2  
label="^std_btn"  
EVENT_BUTTON id=1007 fwd_id=LED:1031 type=NoteOn key=42 chn=1 rgb=15:0:0 lcd_pos=7:1:2  
label="^std_btn"  
EVENT_BUTTON id=1008 fwd_id=LED:1032 type=NoteOn key=43 chn=1 rgb=15:0:0 lcd_pos=8:1:2  
label="^std_btn"  
  
EVENT_BUTTON id=1009 fwd_id=LED:1033 type=NoteOn key=52 chn=1 rgb=0:15:0 lcd_pos=1:1:3  
label="^std_btn"  
EVENT_BUTTON id=1010 fwd_id=LED:1034 type=NoteOn key=53 chn=1 rgb=0:15:0 lcd_pos=2:1:3  
label="^std_btn"  
EVENT_BUTTON id=1011 fwd_id=LED:1035 type=NoteOn key=54 chn=1 rgb=0:15:0 lcd_pos=3:1:3  
label="^std_btn"  
EVENT_BUTTON id=1012 fwd_id=LED:1036 type=NoteOn key=55 chn=1 rgb=0:15:0 lcd_pos=4:1:3  
label="^std_btn"  
EVENT_BUTTON id=1013 fwd_id=LED:1037 type=NoteOn key=56 chn=1 rgb=0:15:0 lcd_pos=5:1:3  
label="^std_btn"  
EVENT_BUTTON id=1014 fwd_id=LED:1038 type=NoteOn key=57 chn=1 rgb=0:15:0 lcd_pos=6:1:3  
label="^std_btn"  
EVENT_BUTTON id=1015 fwd_id=LED:1039 type=NoteOn key=58 chn=1 rgb=0:15:0 lcd_pos=7:1:3  
label="^std_btn"  
EVENT_BUTTON id=1016 fwd_id=LED:1040 type=NoteOn key=59 chn=1 rgb=0:15:0 lcd_pos=8:1:3  
label="^std_btn"  
  
EVENT_BUTTON id=1017 fwd_id=LED:1041 type=NoteOn key=68 chn=1 rgb=0:0:15 lcd_pos=1:1:4  
label="^std_btn"
```

```
EVENT_BUTTON id=1018 fwd_id=LED:1042 type=NoteOn key=69 chn=1 rgb=0:0:15 lcd_pos=2:1:4
label="^std_btn"
EVENT_BUTTON id=1019 fwd_id=LED:1043 type=NoteOn key=70 chn=1 rgb=0:0:15 lcd_pos=3:1:4
label="^std_btn"
EVENT_BUTTON id=1020 fwd_id=LED:1044 type=NoteOn key=71 chn=1 rgb=0:0:15 lcd_pos=4:1:4
label="^std_btn"
EVENT_BUTTON id=1021 fwd_id=LED:1045 type=NoteOn key=72 chn=1 rgb=0:0:15 lcd_pos=5:1:4
label="^std_btn"
EVENT_BUTTON id=1022 fwd_id=LED:1046 type=NoteOn key=73 chn=1 rgb=0:0:15 lcd_pos=6:1:4
label="^std_btn"
EVENT_BUTTON id=1023 fwd_id=LED:1047 type=NoteOn key=74 chn=1 rgb=0:0:15 lcd_pos=7:1:4
label="^std_btn"
EVENT_BUTTON id=1024 fwd_id=LED:1048 type=NoteOn key=75 chn=1 rgb=0:0:15 lcd_pos=8:1:4
label="^std_btn"
```

Im using my VLR-8oDisp board to show the Values of every item. You can change it to any other type of Display-setting... lcd\_pos=6:1:5 {6=Display number : 1= X-axis : 5= Y-Axis (row)}

For any Comment or Question: Forum Thread???

From:  
<https://wiki.midibox.org/> - **MIDIbox**

Permanent link:  
[https://wiki.midibox.org/doku.php?id=fadercore\\_-\\_vlr-8x16ledmeter&rev=1406565403](https://wiki.midibox.org/doku.php?id=fadercore_-_vlr-8x16ledmeter&rev=1406565403)

Last update: **2014/07/28 16:36**

